



Mirage Systems. Inc

www.miragesys.com

+1 (386) 740-9222

sales@miragesys.com

P.O. Box 820 DeLand, FL 32721

Λ	

### **Customer Information**

Date: \_\_\_\_\_/ \_\_\_\_\_/ \_\_\_\_\_

Name:		Dealer/P.O. # (i	f applicable):	
Phone:		E-Mail:		
Street Address:			City:	State:
Postal Code:	Country:		How many jumps?	How many previous rigs?
Previous Container Brand			How did you hear about	us?

## В


## **Container Colors**

- ☐ These are my custom colors
- ☐ I submitted my colors in the online program
- ☐ This is for stock rig #
- ☐ This is an update to an existing order

### **Materials Legend**

- \* Refer to Page 6 for Color List
- C Cordura
- E Embroidery
- P Standard ParaPak
- T Trim Tape
- W Webbing

- 1 (C) \_\_\_\_\_
- 2 (C) \_\_\_\_\_
- 3 (C)
- 4 (C) \_\_\_\_\_
- 5 (C) \_\_\_\_\_
- 6 (C) \_\_\_\_\_
- 7 (C) \_\_\_\_\_
- 8 (W)\_\_\_\_\_
- 9 (C) \_\_\_\_\_
- 10 (C) \_\_\_\_\_
- 11 (P-std)(C) \_\_\_\_\_
- 12 (T)\_\_\_\_\_
- C (C) \_\_\_\_\_
- D (C) \_\_\_\_\_
- E (C) \_\_\_\_\_





Hook Knife

**Pocket Location** 

☐ Leg Pad (std)



Mirage Systems. Inc

www.miragesys.com

+1 (386) 740-9222

sales@miragesys.com

P.O. Box 820 DeLand, FL 32721

ı
ı
ı
ı
ı

## **Container Options**

Refer to our canopy compatibility chart at:

https://miragesys.com/support/container-sizing-guide/				
	Sizing			
	☐ I'm certain I want this container size.			
Quantity	☐ I think this is the right container size, please confirm it will fit my canopies.			
	☐ Please size my container for my canopies.			
<b>Model</b> (circle your choice below)	Notes / Comments			
☐ RTS-0 Standard BOC				
☐ RTS-1 Breakaway BOC				
□ RTS-2	Main Canopy			
Breakaway BOC & main ripcord with spring PC	Manufacturer			
ripcord with spring re	Model & Size			
Size	☐ + Purchase from Mirage			
(circle your choice below)	Reserve Canopy			
M8	Manufacturer			
M7	Model & Size			
	☐ + Purchase from Mirage			
M6	AAD			
M5	Manufacturer			
M4	Model			
	☐ + Purchase from Mirage			
Other	Rigging			
	☐ + Mirage Rigging			
Harness Type				
☐ + Adjustable				
☐ + Low Hip Rings w/ Split 2-Piece Leg Pads (rental)				
□ No Articulation				
Hardware Type				
☐ Standard Thread Thru (Flip Flops)				
☐ + B-12 Snaps				
□ + Other				

Harness Options (mark one choice per category)					
3 Rings Size	☐ Small (rental)	☐ Large (std)			
Riser Webbing	☐ Type 17 (rental)	☐ Type 8 (std)			
Riser Length	□ 20" (std) □ 22" □ 2	.4" □ + Other			
Riser Loops	□ No (std)	☐ + Dive Loops (rental)			
Main Toggle Ty	oe □ Velcro (std)	□ No Velcro			
Leg Pad Style	☐ Standard	□ + Adjustable			
Reserve Deploy	ment Options (mark one o	choice)			
RSL	□+Std RSL	☐ + Trap System (MARD)			
Reserve Ripcord	<b>X</b> Metal Large D (std)				
Cutaway Color	□ Red (std)	□ + Other			
Main Deployme	ent Options				
RTS-0	☐ Standard BOC	☐ + Static Line			
RTS-1	☐ Breakaway BOC	☐ + Static Line			
RTS-2	☐ Breakaway BOC	☐ + Static Line			
Secondary Closi	ng Loop □ No	□ + Yes			
Main Deployment Bag					
RTS-0	☐ Standard	☐ + Static Line			
RTS-1	☐ Standard	☐ + Static Line			
RTS-2	☐ Duplex (incl. spring PC	) □ + Static Line			
Main Pilot Chute					
Style	□ Non-collapsible (std)	☐ + Collapsible (rental)			
Size	□ 30" (M4) □ 32" (N	M5-6) □ 36" (M7-8)			
Aluminum	□ No (std)	□ + Yes			
Hook Knife	Tab Colo	r			

☐ + Ring Cover

☐ + Chest Strap





Mirage Systems. Inc +1 (386) 740-9222 P.O. Box 820 DeLand, FL 32721 www.miragesys.com sales@miragesys.com **Left Ring Cover Embroidery** (choose one) (E) Indicates the embroidery **Embroidery** ☐ None thread color. ☐ + Custom Text (print) ☐ Mirage ☐ + Custom Text (script) ☐ Mirage & RTS ☐ + Custom Image NOTES: Left & right references are as you're wearing the rig. You may place as many standard Mirage logos as you wish, free of charge. ☐ RTS & Alien (std) Non-standard logos have a "+" to indicate an additional charge. ☐ Mirage & Alien  $\square$  Alien (direction  $\square$  up /  $\square$  down) **#3 Flap Embroidery** (required) **X**Mirage ☐ Match Rig Colors OR Specify Color Choices Below: Custom Text (max 10 characters): ☐ Match Rig Colors OR Specify Color Choices Below: Custom Text Fill Color: Mirage Fill Color: (E) \_\_\_\_\_ Alien Fill color: Alien Outline Color: Stripe D (center) (choose one) Alien Accent Color: □None  $\square$  Alien (direction  $\square$  up /  $\square$  down) Mirage Fill Color: ☐ RTS ☐ + Custom Image RTS Fill Color: (E) ☐ RTS & Alien (std) Right Ring Cover Embroidery (choose one) ☐ Match Rig Colors **OR** Specify Color Choices Below: Alien Fill color: ☐ None ☐ + Custom Text (print) ☐ Mirage ☐ + Custom Text (script) Alien Outline Color: ☐ Mirage & RTS ☐ + Custom Image Alien Accent Color: ☐ RTS & Alien (std) RTS Fill Color: (E) \_\_\_\_\_ ☐ Mirage & Alien Left Sidewall Embroidery (choose one)  $\square$  Alien (direction  $\square$  up /  $\square$  down) □ None ☐ + Custom Image ☐ Match Rig Colors OR Specify Color Choices Below: ☐ Mirage & RTS (std) Custom Text (max 10 characters): \_\_\_\_\_ ☐ Match Rig Colors **OR** Specify Color Choices Below: Custom Text Fill Color: Alien Fill color: Mirage Fill Color: (E) \_\_\_\_ Alien Outline Color: (E) RTS Fill Color: Alien Accent Color: Right Sidewall Embroidery (choose one) Mirage Fill Color: ☐ None ☐ + Custom Image RTS Fill Color: (E) ☐ Mirage & RTS (std) **Additional Embroidery Notes:** ☐ Match Rig Colors **OR** Specify Color Choices Below: Mirage Fill Color: RTS Fill Color: **OFFICE USE ONLY Cutaway Handle Embroidery** (choose one) Final Container Size: ☐ None ☐ + Custom Text (print) Final Harness Size: ☐ RTS \_\_\_ / \_\_\_\_\_ / \_\_\_\_ / \_\_\_\_ XStd
LEG STAB YOKE EXT Ring Covers ☐ Match Rig Colors **OR** Specify Color Choices Below:

Custom Text Fill Color:

RTS Fill Color:

Custom Text (max 10 characters):

(E)

(E)

Date O/F Complete:\_\_\_\_\_





Mirage Systems. Inc

www.miragesys.com

+1 (386) 740-9222

sales@miragesys.com

P.O. Box 820 DeLand, FL 32721

Ε

Comments

### **Harness Measurements**

**NOTE:** It is very difficult to measure yourself accurately, so someone will need to assist. Use a soft measuring tape.

If there is an existing Mirage that fits you well or that you would like us to use for reference, list the serial number or harness size here.

☐ Here are my measure	ments	
☐ I submitted my measu	urements in the online calc	ulation form.
☐ Match serial #		
Gender	☐ Male ☐ Female	
Height	In / cm	=MLW
Weight	Lbs / kg	
Body Ratio to Legs	☐ Body is a bit short ☐ Body is medium ☐ Body is a bit long	
Torso		=MLW
Long Girth		=MLW
I like my fit	☐ A little snug ☐ Medium ☐ A little loose	
Leg Pads		=LP
Waist		=STAB
Shoulders	<ul><li>☐ Normal</li><li>☐ Thick (lifts weights)</li></ul>	
Chest / Cup (females)		=EXT
Throat to Belly Button		=STAG

FOR OFFICE USE (unless you know what size you need)

MLW	Leg Pads	Stabilizer	Yoke	Stagger
(main lift we	b)	(waist)	(shoulders)	(hips)
□ 14	□ 15	□ -2	□ -1	□ DD *
□ 14.5 S	□16 S	□ -1.5	$\square$ STD	☐ None
□ 15	□ 17	□ -1	□ +1	□ +0.5
□ 15.5 _	□ 18	□ -0.5	□ +2	□ +1
□16	□ 19 N	1 □ STD		□ +1.5
☐ 16.5 <b>_</b>	□ 20	□ +0.5	Ring Covers	□ +2
□ 17	□21	□ +1	□ Mini	* Not
□ 17.5	□ 22 L	☐ +1.5	☐ STD	available on low hip
□ 18	□ 23	□ +2		rings.
□ 18.5 XL	□ 24 X	L		
□ 19	□ 25			
☐ + Adjustab	le □ + Adjusta	ble		

#### STEPS FOR THE BEST AND MOST CORRECT FIT

- 1. While bending over as if touching your toes, tighten your leg straps most of the way (snug but not tight). The Mirage harness is designed to have the leg straps tightened <u>first</u>.
- Next, to ensure the <u>most comfortable fit</u>, grab each leg pad one at a time, with both hands, and rotate it backwards slightly (leg hardware towards hip) bringing the hip ring into proper alignment.
- 3. Now finish tightening your leg straps until they are high and tight (like you're getting out of the plane).
- 4. Fasten your chest strap <u>last</u>.

#### Torso

- Measure both left and right as a double check.
- Measure from the BOTTOM of the dip in your collarbone at the base of your throat, diagonally over your chest, to the very TOP of your hip bone AT YOUR SIDE.
- The top of the hip bone is approximately the same height off the ground as your belly button
- Common mistakes are measuring too low on the hip (too long), or not enough to the outside (too short).

#### **Long Girth**

- Measure from the bottom of the hole at the base of your throat (same as torso measurement), down through the crotch and up your back to the base of the collar (protruding spine bone on the back of the neck).
- Tape should be snug but not painful. Gentlemen, move things off to the side.

#### **Leg Pads**

- Measure both left and right as a double check.
- Take EVERYTHING OUT OF YOUR POCKETS.
- Measure around the leg, as the leg strap travels, up to your hip hone
- Be sure to pull the tape SNUG.
- The measurement should be in the range of 28" 34" for most people.
- Some people like their pads to overlap, some like the ends to just touch, and others like a few inches of gap. All of these are safe as long as you are sitting on the pad and your strap feeds through with at least 5-6 inches of tail.

#### Waist

- This part of the harness cannot be adjusted, so you should look at this measurement first when looking at stock rigs.
- Measure around your waist at your belly button.
- Do not pull your stomach in. Be certain the tape is level.

TIP: If you would like your rig to fit tighter against your back, we recommend using our small sit fly belly band. It attaches to your hip rings and can be removed when not in use. We also offer a larger belly band for swooping.

#### Chest

- Measure at the nipples.
- Be sure to measure all the way around your back and that the tape is level across your back.

Rev. 2 + = additional charge





Mirage Systems. Inc

www.miragesys.com

+1 (386) 740-9222

sales@miragesys.com

P.O. Box 820 DeLand, FL 32721

### **Color List**

**NOTE:** Colors may vary across the different material types.

Cordura (C)	Mini-Diamond ParaPak (MD) Standard ParaPak (P)	Trim Tape (T)	Webbing (W)	Embroidery (E)	Hacky Leather
Black	Black (MD)	Black	Black	Black	Black
Charcoal	Charcoal (P)	Charcoal	Charcoal	Charcoal	Charcoal
Silver	Silver (MD)	Silver	Silver	Silver	Silver
White	White (P)	White	White	White	White
Blackberry	Purple (MD)	Blackberry	Red	Blackberry	Blackberry
Burgundy	Red (MD)	Magenta		Burgundy	Lavender
Magenta		Neon Orange	T17 Risers Only	Magenta	Fuscia
Neon Orange		Neon Pink	Blackberry	Neon Orange	Neon Orange
Neon Pink		Orange		Neon Pink	Neon Pink
Orange		Red		Orange	Orange
Red				Pink	Red
				Red	
Gold		Gold	Gold	Gold	Gold
Lemon (neon yellow)		Lemon (neon yellow)	Yellow	Lemon (neon yellow)	Lemon (neon yellow)
Yellow		Yellow		Yellow	Yellow
Forrest Green	Green (MD)	Emerald Green	Jade	Hunter Green	Lime (neon green)
Jade	Olive Green (OD) (P)	Lime (neon green)	Olive Green (OD)	Jade	Teal (denim)
Kelly Green		Olive Green (OD)		Kelly Green	
Lime (neon green)				Lime (neon green)	
Olive Green (OD)				Olive Green (OD)	
Turquoise		Turquoise		Turquoise	Turquoise
Denim Blue	Blue (MD)	Navy Blue	Navy Blue	Light Blue	Light Blue
Light Blue		Neon Blue	Neon Blue	Navy Blue	Navy Blue
Navy Blue		Royal Blue		Neon Blue	Neon Blue
Neon Blue				Royal Blue	Royal Blue
Royal Blue				,	,
Brown		Tan	Tan	Beige	Beige
Coyote (khaki)				Brown	Brown
Tan				Tan	Tan
Desert Camo					
Digital Camo					
+ Kryptek Camo					
Marsh Camo					
Woodland Camo					