G4.3 Order Form

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

A Customer Information

Date: _____ / _____ / _____

Name: _____ Dealer/P.O. # (if applicable): _____

Phone: _____ E-Mail: _____

Street Address: _____ City: _____ State: _____

Postal Code: _____ Country: _____ How many jumps? _____ How many previous rigs? _____

Previous Container Brand _____ How did you hear about us? _____

B Container Colors

- ☐ These are my custom colors
- ☐ I submitted my colors in the online program
- ☐ This is for stock rig #
- ☐ Copy colors / embroidery of s/n #
- ☐ This is an update to an existing order

Materials Legend

* Refer to Page 9 for Color List


C	Cordura
E	Embroidery
MD	Mini-Diamond ParaPak
P	Standard ParaPak
T	Trim Tape
W	Webbing

1 (C) _____
2 (C) _____
3 (C) _____
4 (C) _____
5 (C/MD) _____

7 (C) _____
8 (W) _____
9 (C) _____
10 (C) _____
11 (P/MD) _____
12 (T) _____

A (C/MD) _____
B (C/MD) _____
C (C/MD) _____
D (C/MD) _____
E (C/MD) _____
F (C/MD) _____
G (C/MD) _____
H (C/MD) _____

Piping AB (T) _____
Piping BC (T) _____
Piping CD (T) _____
Piping DE (T) _____
Piping EF (T) _____
Piping FG (T) _____
Piping H (T) _____
Piping 5 (T) _____



The deluxe backpad with spacer foam and lumbar support comes standard on the G4

G4.3 Order Form

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

C Container Options

Refer to our canopy compatibility chart at:
https://miragesys.com/support/container-sizing-guide/

Quantity_____

Size
(circle your choice below)

Standard Series

M8
M7
M6
M5
M5-1/2
M4L
M4M
M3L
M3M
M2
M1
M1Z
M0
MT
MX

Other

_____

Sizing

☐ I'm certain I want this container size.

☐ I think this is the right container size, please confirm it will fit my canopies.

☐ Please size my container for my canopies.

Notes / Comments

_____
_____
_____

Main Canopy

Manufacturer_____
Model & Size _____
☐ + Purchase from Mirage

Reserve Canopy

Manufacturer_____
Model & Size _____
☐ + Purchase from Mirage

AAD

Manufacturer_____
Model_____
☐ + Purchase from Mirage

Rigging

☐ + Mirage Rigging

Harness Type (select one)

☐ + Unisyn Hip & Chest Rings Harness
☐ + Unisyn Hip Rings Harness (No Chest Rings)
☐ + Low Hip Rings Harness (No Chest Rings)
☐ Standard (no articulation) Harness

- Stainless steel hardware is included on all Mirage harnesses.
- For an additional charge, Black coated SS hardware is available. However, the finish durability is not guaranteed over time. Black coated SS Hardware is available on custom orders only.

Harness Options (*mark one choice per category*)

Riser Webbing	☐ Type 17 (thin)	☐ Type 8 (wide, >225 Lbs)		
Riser Length	☐ 18"	☐ 20" (std)	☐ 22"	☐ 24"
Riser Loops	☐ Dive Loops (std) ☐ + Small Swoop Loops (Soft) ☐ + Small Swoop Loops (Medium) ☐ + Small Swoop Loops (XFirm) (doesn't pack flat) ☐ + Large Swoop Loops (Soft)			
Riser Color	☐ Match Harness (std)	☐ + Other		
Toggle Color	☐ Gold (std)	☐ + Other		
Low Drag	☐ No (std)	☐ + Yes		
Chest Strap	☐ Std	☐ + Extra _____ inches		
Leg Pad Style	☐ 1 Piece	☐ 2 Piece (Split)		
Leg Pads	☐ Straight	☐ + Contoured		
Removable Belly Band	☐ None (std)	☐ + SitFly (Sm) ☐ + Swoop (Lg)		

Reserve Deployment Options (*mark one choice per category*)

RSL	☐ No RSL	☐ + Std RSL	☐ + Trap System (MARD)
	☐ +Soft (has metal interior)		
Reserve Ripcord	Color ☐ Black (std)	☐ + Other _____	
	☐ Metal - Mini D (std)		
	☐ Metal - Micro D		
Cutaway Color	☐ Red (std)	☐ + Other	

Main Deployment Options (*mark one choice per category*)

Riser Covers	☐ Tuck Tabs (std)	☐ + Magnetic
Main Bag	☐ Std	☐ + Semi-Stowless ☐ + Split
Secondary Closing Loop	☐ No	☐ + Yes
Aluminum Hook Knife	☐ No	☐ + Yes (Includes Std Pocket) _____ Color
Wingsuit Corners	☐ No ☐ + Semi-Open (Multi-use) ☐ + Fully-Open (Wingsuit only)	
Wingsuit Hook Knife Pocket	☐ No	☐ + Right Ring Cover

Main Pilot Chute (*mark one choice per category*)

Style	☐ Collapsible (std)		☐ Non-collapsible
Color	☐ Black (std)		☐ White
	☐ F-111 (std)		☐ +ZP
Fabric & Diameter	☐ 28" ☐ 30" (std) ☐ 32"	OR	☐ 24" ☐ 26" (std)
Bridle Length	☐ 7' (std)	☐ + 9'	☐ + 12'
Handle Type	☐ Plastic Pipe ☐ + FreeFly Handle		☐ + Hacky ☐ + FreeFly Hacky

FreeFly Handle (Cordura) _____ Color
OR ☐ Black (std)

Hacky 1-2 (Leather) _____ / _____ Colors
☐ Black (std)

G4.3 Order Form

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

D Embroidery

(E) Indicates the embroidery thread color.

NOTES: Left & right references are as you're wearing the rig.
You may place as many standard Mirage logos as you wish, free of charge.
Non-standard logos have a "+" to indicate an additional charge.

Yoke Embroidery *(required)* ☐ Mirage ☐ Mirage & Alien Outline

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____
Alien Outline Color: (E) _____

Cutaway Handle Embroidery *(choose one)*

☐ None
☐ Alien Outline (wrapped)
☐ Alien (direction ☐ up / ☐ down)
☐ Mirage & Alien Outline
☐ Mirage
☐ + Custom Text (script)
☐ + Custom Text (print)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Custom Text (max 10 characters): (E) _____
Custom Text Color (E) _____
Alien Fill Color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____
Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____

Soft Reserve Ripcord Embroidery *(choose one)*

☐ None
☐ Alien Outline (wrapped)
☐ Alien (direction ☐ up / ☐ down)
☐ Mirage & Alien Outline
☐ Mirage
☐ + Custom Text (script)
☐ + Custom Text (print)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Custom Text (max 10 characters): (E) _____
Custom Text Color (E) _____
Alien Fill Color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____
Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____

Phantoms ☐ No ☐ Yes

Phantom color: (E) _____

Center Flap Embroidery *(choose one for each stripe)*

- Phantoms cannot be put on mini-diamond fabric except on the D-stripe. The D-stripe is the only stripe that can have both.
- If you want phantoms and mini-diamond fabric on your center flap remember to put them on alternating stripes.

Stripe A: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Stripe B: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Stripe C: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)

Stripe D (center):
☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
☐ Alien (direction ☐ up / ☐ down) ☐ + Alien & Phantoms
☐ + Angled Alien
☐ + Angled Ghost (Outline only)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Alien Fill color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____

Stripe E: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Stripe F: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Stripe G: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Stripe H: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Flap 2: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Flap 3: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Flap 4: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Flap 5: ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)
Flap 6 (G4.2 Only): ☐ None ☐ + Phantoms (direction ☐ up / ☐ down)

Left Sidewall Embroidery *(choose one)*

☐ None
☐ Mirage
☐ Small Alien & Mirage
☐ Mirage & Small Alien
☐ + Mirage & Large Ghost Outline
☐ + Falling Aliens
☐ + Large Alien (direction ☐ up / ☐ down)
☐ + Phantoms (direction ☐ up / ☐ down)
☐ + Custom Image

G4.3 ONLY
☐ Wrapped or ☐ Straight

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Alien Fill color: (E) _____

- For Falling Aliens: This will be the fill for the top 3 of the set. It's usually best to choose a color that blends with the sidewall.

Alien Outline Color: (E) _____

- For Falling Aliens: This will be the outline for the top 3 of the set and the fill for the bottom Alien. It's usually best to choose a color that will stand out against the sidewall.

Alien Accent Color: (E) _____

- For Falling Aliens: The accents on falling aliens must be the same as the fill color.

Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____
Ghost Outline Color: (E) _____
Ghost Accents Color: (E) _____

G4.3 Order Form

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

Right Sidewall Embroidery *(choose one)*

☐ None
☐ Mirage
☐ Small Alien & Mirage
☐ Mirage & Small Alien
☐ + Mirage & Large Ghost Outline
☐ + Falling Aliens
☐ + Large Alien (direction ☐ up / ☐ down)
☐ + Phantoms (direction ☐ up / ☐ down)
☐ + Custom Image

G4.3 ONLY
☐ Wrapped or ☐ Straight

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Alien Fill color: (E) _____
- For Falling Aliens: This will be the fill for the top 3 of the set. It's usually best to choose a color that blends with the sidewall.

Alien Outline Color: (E) _____
- For Falling Aliens: This will be the outline for the top 3 of the set and the fill for the bottom Alien. It's usually best to choose a color that will stand out against the sidewall.

Alien Accent Color: (E) _____
- For Falling Aliens: The accents on falling aliens must be the same as the fill color.

Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____
Ghost Outline Color: (E) _____
Ghost Accents Color: (E) _____
Phantom Outline Color: (E) _____

Left Leg Pad Embroidery *(choose one)*

☐ None
☐ Mirage
☐ Alien Large (direction ☐ up / ☐ down)
☐ Mirage & Small Alien
☐ + Custom Text (print)
☐ + Custom Text (script)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Custom Text (max 10 characters): (E) _____
Custom Text Color (E) _____
Alien Fill color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____
Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____

Right Leg Pad Embroidery *(choose one)*

☐ None
☐ Mirage
☐ Alien Large (direction ☐ up / ☐ down)
☐ Mirage & Small Alien
☐ + Custom Text (print)
☐ + Custom Text (script)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Custom Text (max 10 characters): (E) _____
Custom Text Color (E) _____
Alien Fill Color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____
Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____

Left Ring Cover Embroidery *(* A Mirage logo is required on one ring cover)*

☐ None *
☐ Alien (direction ☐ up / ☐ down)
☐ Mirage
☐ Mirage & Alien
☐ + Mirage & Phantoms
☐ + Phantoms Only
☐ + Custom Text (print)
☐ + Custom Text (script)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Custom Text (max 10 characters): (E) _____
Custom Text Color (E) _____
Alien Fill color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____
Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____
Phantom Outline Color: (E) _____

Right Ring Cover Embroidery *(* A Mirage logo is required on one ring cover)*

☐ None *
☐ Alien (direction ☐ up / ☐ down)
☐ Mirage
☐ Mirage & Alien
☐ + Mirage & Phantoms
☐ + Phantoms Only
☐ + Custom Text (print)
☐ + Custom Text (script)
☐ + Custom Image

☐ **Match Rig Colors** (☐ **BOLD** / ☐ Subtle)
OR Specify Color Choices Below:

Custom Text (max 10 characters): (E) _____
Custom Text Color (E) _____
Alien Fill Color: (E) _____
Alien Outline Color: (E) _____
Alien Accent Color: (E) _____
Mirage Fill Color: (E) _____
Mirage Outline Color: (E) _____

Additional Embroidery Notes:

Accessories

☐ + Matching 15" Drawstring Daypack (for your personal items)
☐ + Matching 18" Drawstring Daypack (for your personal items)
☐ + Matching Gear Bag (for your rig)

OFFICE USE ONLY

Final Container Size: _____

Final Harness Size:

Harness Articulation		Leg Pads	Ring Covers
☐ H&C	☐ LH (+.5)	☐ 1 Piece	☐ Std
☐ H	☐ None (+2)	☐ 2 Piece	☐ Mini

_____/_____/_____/_____/_____
MLW LEG STAB YOKE STAG

Date O/F Complete: _____

+ = additional charge

G4.1 / G4.2 / G4.3 Order Form

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

E Customer Measurements

Date: ____ / ____ / ____

Name: _____ Dealer/P.O. # (if applicable): _____

E-mail: _____ Phone: _____ Country: _____

Stock ☐ **Custom** ☐ **Serial #** State: _____

☐ I want this size **Container Size:** Reserve: Main:

☐ Please size me

Measurements

☐ Use These Measurements **OR**

☐ Match Previous Rig: Serial # _____ Model & Size (Ex. G4.1 M5) _____

Harness From Label (Ex. 16.5 / 18 / Std) _____ How did it fit? Use Additional Notes On Page 6

Body Ratio ☐ Short * ☐ Medium ☐ Long **

* If Short, measure from the base of your Throat to your Belly Button (Front of Body) _____

** If Long, measure from Top-of-Hip-Bone to Top-of-Belt (Side of Body) _____

Likes Fit ☐ Little Snug (MLW - 0.5) ☐ Medium ☐ Little Loose (MLW + 0.5)

Shoulders ☐ Normal ☐ Thick / Lift Weights

Sex & Weight ☐ Male ☐ Female Weight If Female, Cup Size

Main Lift Web

	Height			MLW	Torso		MLW	Long Girth		MLW
		in.	cm.		in.	cm.		in.	cm.	
Small	5'	60	152	14				52	132	14
	5'1	61	155	14				53	135	14
	5'2	62	157	14.5				54	137	14.5
	5'3	63	160	15	14	36	15	56	142	15
	5'4	64	163	15.5	15	38	15.5	58	147	15.5
	5'5	65	165	15.5	16	41	15.5	59	150	15.5
Med	5'6	66	168	16	17	43	16	60	152	16
	5'7	67	170	16				61	155	16
	5'8	68	173	16.5	18	46	16.5	62	157	16.5
	5'9	69	175	16.5				63	160	16.5
Lg	5'10	70	178	17	19	48	17	64	163	17
	5'11	71	180	17	20	51	17	65	165	17
	6'	72	183	17				65	165	17
	6'1	73	185	17	21	53	17	66	168	17
	6'2	74	188	17				67	170	17
	6'3	75	191	17.5	22	56	17.5	68	173	17.5
	6'4	76	193	17.5	23	58	17.5	70	178	17.5
	6'5	77	196	17.5	24	61	17.5	71	180	17.5
XLg	6'6	78	198	18	25	64	18	76	193	18

Leg Pads

	Leg		LP
	in.	cm.	
Small	22	56	14
	23	58	14
	24	61	15
	25	64	15
	26	66	16
	27	69	16
	28	71	17
Med	29	74	18
	30	76	18
	31	79	19
	32	81	20
Lg	33	84	21
	34	86	21
	35	89	22
	36	91	23
XLg	37	94	24
	38	97	24
	39	99	25
	40	102	26

Yoke

	Chest		Yoke	
	in.	cm.		
	32	81	-1	
	33	84	-1	
	34	86	-1	
	35	89	Std	
	36	91	Std	
	37	94	Std	
	38	97	Std	
	39	99	Std	
	40	102	Std	
	41	104	Std	
	42	107	Std	
	43	109	+1	
	44	112	+1	
	45	114	+1	
	46	117	+1	
	47	119	+1	
	48	122	+1	+2
	49	124	+1	+2
	50	127	+2	

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

E Customer Measurements

	Stabilizer											
	MZS, MX, MT, M0			M1, M2, M3, M4			M5, M6			M7, M8		
	Waist		Stab.	Waist		Stab.	Waist		Stab.	Waist		Stab.
	in.	cm.		in.	cm.		in.	cm.		in.	cm.	
XSm	22	56	**-1**	22	56	**-1.5**	22	56	**-2**	22	56	**-2**
Small	23-24	58-61	**-0.5**	23-24	58-61	**-1**	23-24	58-61	**-1.5**	23-24	58-61	**-2**
	25-26	64-66	**-0.5**	25-26	64-66	**-1**	25-26	64-66	**-1.5**	25-26	64-66	**-2**
	27-28	69-71	**Std**	27-28	69-71	**-0.5**	27-28	69-71	**-1**	27-28	69-71	**-1.5**
	29-30	74-76	**Std**	29-30	74-76	**-0.5**	29-30	74-76	**-1**	29-30	74-76	**-1.5**
Med	31-32	79-81	**+0.5**	31-32	79-81	**Std**	31-32	79-81	**-0.5**	31-32	79-81	**-1**
	33-34	84-86	**+0.5**	33-34	84-86	**Std**	33-34	84-86	**-0.5**	33-34	84-86	**-1**
	35-36	89-91	**+1**	35-36	89-91	**+0.5**	35-36	89-91	**Std**	35-36	89-91	**-0.5**
	37-38	94-97	**+1**	37-38	94-97	**+0.5**	37-38	94-97	**Std**	37-38	94-97	**-0.5**
Lg	39-40	99-102	**+1.5**	39-40	99-102	**+1**	39-40	99-102	**+0.5**	39-40	99-102	**Std**
	41-42	104-107	**+1.5**	41-42	104-107	**+1**	41-42	104-107	**+0.5**	41-42	104-107	**Std**
	43-44	109-112	**+2**	43-44	109-112	**+1.5**	43-44	109-112	**+1**	43-44	109-112	**+0.5**
	45-46	114-117	**+2**	45-46	114-117	**+1.5**	45-46	114-117	**+1**	45-46	114-117	**+0.5**
	47-48	119-122	**+2**	47-48	119-122	**+1.5**	47-48	119-122	**+1**	47-48	119-122	**+0.5**
XLs	49-50	124-127	**+2.5**	49-50	124-127	**+2**	49-50	124-127	**+1.5**	49-50	124-127	**+1**

FOR OFFICE USE

(Unless you know what size you need) _____

MLW (Main Lift Web)

- ☐ 14 — S
- ☐ 14.5 — S
- ☐ 15 — S
- ☐ 15.5 — S
- ☐ 16 — M
- ☐ 16.5 — M
- ☐ 17 — L
- ☐ 17.5 — L
- ☐ 18 — XL
- ☐ 18.5 — XL
- ☐ 19 — XL
- ☐ + Adjustable

Leg Pads

- ☐ 15 — S
- ☐ 16 — S
- ☐ 17 — S
- ☐ 18 — M
- ☐ 19 — M
- ☐ 20 — M
- ☐ 21 — L
- ☐ 22 — L
- ☐ 23 — L
- ☐ 24 — XL
- ☐ 25 — XL
- ☐ + Adjustable

Stabilizer (Waist)

- ☐ -2
- ☐ -1.5
- ☐ -1
- ☐ -0.5
- ☐ STD
- ☐ +0.5
- ☐ +1
- ☐ +1.5
- ☐ +2

Yoke (Shoulders)

- ☐ -1
- ☐ STD
- ☐ +1
- ☐ +2

Ring Covers

- ☐ Mini
- ☐ STD

Stagger (Hips)

- ☐ DD *
- ☐ None
- ☐ +0.5
- ☐ +1
- ☐ +1.5
- ☐ +2

*** <= 15 in Std Series**

*** Not available on low hip rings.**

Harness Type

- ☐ H&C
- ☐ H
- ☐ LH
- ☐ Other

Leg Pad Style

- ☐ 1 Piece
- ☐ 2 Piece

Additional Notes / Comments:

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

Mirage Harness Guide

The Mirage harness has four (4) parts.

1. MLW: The main lift web is the front of the harness and is determined by the length of your torso.

2. LP: The leg pads go from your hip bone, down between your legs and back up to the starting point.

3. STAB: The stabilizers (waist) determine how snug the bottom of the rig is against your back.

4. YOKE: If you have a large chest or thick shoulders (lift weights) we can lengthen the yoke over the shoulder.

Instructions

- Fill out the form on the right.
- Use a soft measuring tape.
- It is very difficult to measure yourself alone, so you will need someone to assist.
- Try not to skip any measurements.

Container Size

A) Container Size

- Be sure to choose your actual container size because this affects the stabilizer calculation.

Sex & Weight

B) Sex

- Ladies, we need your cup size for yoke size & chest strap location.

C) Weight

- If your weight fluctuates from winter to summer, give us the weight you want the rig sizing to be based on. If you can't decide then use your average weight.

D) Body To Legs Ratio (inseam)


- Look in the mirror and don't be surprised if your legs are slightly long or short; most people are not exactly Joe Average.

Main Lift Web

E) Height

- Enter you height.

F) Torso





- Measure both left and right as a double check.
- Measure from the BOTTOM of the hole at the base of your throat, diagonally over your chest, to the very TOP of your hip bone AT YOUR SIDE.
- The top of the hip bone is approximately the same height off the ground as your belly button.
- Common mistakes are measuring too low on the hip (too long), or not enough to the outside (too short).
- A typical measurement would be between 15" (38 cm) and 20" (51cm), with the average being 16-18" (40-45 cm).

G) Long Girth





- Measure from the base of the throat (same starting point as the Torso measurement), down through the crotch and up your back to the base of the collar (protruding spine bone on the back of the neck).
- Tape should be snug, but not painful.
- Stand up straight – you should be at your maximum height.

H) Enter The Most Frequent Answer From E, F & G Above.

- Use the most frequent result, not the average.

I) Harness Type

- Select your harness type

J) I Like My Fit

- After you determine your main lift web measurement, you can adjust it slightly for your fit preference.

Leg Pads

K) Leg Pad Measurement



- Measure both left and right as a double check.
- Take EVERYTHING OUT OF YOUR POCKETS.
- Measure around the leg, as the leg strap travels, up to the SIDE of your hip bone. This is usually where your belt is.
- Be sure to pull the tape SNUG.
- The measurement should be in the range of 28" – 34" for most people.
- Leg pad length preference varies from person to person. Some people like their pads to overlap, some like the ends to just touch, and others like a few inches of gap. All of these are safe as long as you are sitting on the pad and your strap feeds through with at least 5-6 inches of tail.

Tip: Make sure your leg straps are high and tight when exiting the aircraft. Movement of leg straps during deployment can cause bruising – remember your student gear?

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

Stabilizer (waist)

L) Stabilizer (waist)




- This part of the harness cannot be adjusted, so you should look at this measurement first when looking at stock rigs.
- Measure around your waist at your belly button. This is not your pant size.
- Do not pull your stomach in. Be certain the tape is level.
- Stabilizers are sized in half inch increments: +1, +.5, std, -.5, -1. You can usually go up or down one size based on your comfort preference, but not more. Each increment is similar to loosening or tightening your belt one notch.

Tip: The Mirage elastic lumbar support is only for comfort. If you would like your rig to fit tighter against your back we recommend using our small sit fly belly band. It attaches to your hip rings and can fit in your back pocket when not being used. We also offer a larger belly band for swooping.

Yoke

M) Yoke (chest)





- Measure at the nipples.
- Make sure the tape is level across your back.

N) Common Yoke Adjustments

- Select only if applicable / desired.
- Most people get a standard yoke.
- +1 or -1 yoke means that the distance from the top of the rig to the 3 rings (over the shoulder) was adjusted by 1 inch. If you need a yoke extension but don't have one, the rig may feel tight in the shoulders. Especially on smaller rigs.
- A +yoke becomes less of an issue on the M5 and larger as these rigs already have a slightly larger yoke. If you are borderline on the M5 or larger you may often go with a standard yoke unless you have thick shoulders (lift weights).

Shoulders

O) Shoulders

- If you have thick shoulders (lift weights) we can double check your yoke size. We need two photos. One facing the camera and one turned sideways.

P) Neck Bone to Belt

- Measure from the base of your neck bone to your belt, straight down your back.

Photo Instructions

If you need assistance with your sizing include:

1) A photo of you standing facing the camera

- Wear a t-shirt & shorts or jeans (clothes not too baggy)
- Put feet shoulder width apart
- 1st hand – pointing at your belly button
- 2nd hand – hanging comfortably at your side
- Stand up straight and look forward
- Head-to-toe needs to be in frame

2) A photo of you standing sideways to the camera

- Turn sideways 90°
- Pretend you are holding a tray in front of you (shoulders normal, elbows still at your side)
- Look forward, do not turn towards the camera
- Head-to-toe needs to be in frame

NOTE: We need to see how long your body is compared to your legs and how thick you are, so please don't wear jackets, long shirts or baggy pants.

Steps For The Best And Most Correct Fit

1. While bending over as if touching your toes, tighten your leg straps most of the way (snug but not tight). The Mirage harness is designed to have the leg straps tightened first.
2. Next, to ensure the most comfortable fit, grab each leg pad one at a time, with both hands, and rotate it backwards slightly (leg hardware towards hip) bringing the hip ring into proper alignment.
3. Now finish tightening your leg straps until they are high and tight (like you're getting out of the plane).
4. Fasten your chest strap last.

Mirage Systems. Inc www.miragesys.com +1 (386) 740-9222 sales@miragesys.com P.O. Box 820 DeLand, FL 32721

Color List

NOTE: Colors may vary across the different material types.

Cordura (C)	*Mini-Diamond ParaPak (MD) Standard ParaPak (PK)*	*Trim Tape (T)*	*Webbing (W)*	Embroidery (E)	Hacky Leather
Black (BLK)	Black (MD-BLK)	Black (BLK)	Black (BLK)	Black (BLK)	Black (BLK)
Charcoal (CHAR)	Charcoal (P)	Charcoal (CHAR)	Charcoal (CHAR)	Charcoal (CHAR)	Charcoal (CHAR)
Silver (SIL)	Silver (MD)	Silver (SIL)	Silver (SIL)	Silver (SIL)	Silver (SIL)
White (WHT)	White (PK-WHT)	White (WHT)	White (WHT)	White (WHT)	White (WHT)
Blackberry (BBY)	Purple (MD)	Blackberry (BBY)	Red (RED)	Blackberry (BBY)	Blackberry (BBY)
Burgundy (BUR)	Red (MD-RED)	Magenta (MAG)		Burgundy (BUR)	Lavender
Magenta (MAG)		Neon Orange (TGR)	T17 Risers Only	Magenta (MAG)	Fuscia
Neon Orange (TGR)		Neon Pink (NEP)	Blackberry (BBY)	Neon Orange (TGR)	Neon Orange (TGR)
Neon Pink (NEP)		Orange (ORA)		Neon Pink (NEP)	Neon Pink (NEP)
Orange (ORA)		Red (RED)		Orange (ORA)	Orange (ORA)
Red (RED)				Pink	Red (RED)
				Red (RED)	
Gold (GLD)		Gold (GLD)	Gold (GLD)	Gold (GLD)	Gold (GLD)
Lemon (LEM)		Lemon (LEM)	Yellow (YEL)	Lemon (LEM)	Lemon (LEM)
Yellow (YEL)		Yellow (YEL)		Yellow (YEL)	Yellow
Forrest Green (FGR)	Green (MD)	Emerald Green	Jade (JAD)	Hunter Green	Lime Green (LGR)
Jade (JAD)	Olive Green (PK-ODGR)	Lime Green (LGR)	Olive Green (ODGR)	Jade (JAD)	Teal (denim)
Kelly Green (KGR)		Olive Green (ODGR)		Kelly Green (KGR)	
Lime Green (LGR)				Lime Green (LGR)	
Olive Green (ODGR)				Olive Green (ODGR)	
Turquoise (TURQ)		Turquoise (TURQ)		Turquoise (TURQ)	Turquoise (TURQ)
Denim Blue (DEN)	Blue (MD)	Navy Blue (NVBL)	Navy Blue (NVBL)	Light Blue (LBL)	Light Blue (LBL)
Light Blue (LBL)		Neon Blue (NEBL)	Neon Blue (NEBL)	Navy Blue (NVBL)	Navy Blue (NVBL)
Navy Blue (NVBL)		Royal Blue (RBL)		Neon Blue (NEBL)	Neon Blue (NEBL)
Neon Blue (NEBL)				Royal Blue (RBL)	Royal Blue (RBL)
Royal Blue (RBL)					
Brown (BRN)		Tan (TAN)	Tan (TAN)	Beige	Beige
Coyote (khaki) (CYT)				Brown (BRN)	Brown (BRN)
Tan (TAN)				Tan (TAN)	Tan (TAN)
Desert Camo					
Digital Camo + Kryptek Camo					
Marsh Camo (DIG MAR CAMO) Woodland Camo					